ABUS | USA LLC www.abus.com



83 Series 2 Best Rekeyable Ever



REKEYABLE 83 SERIES 2

The Locksmith's Padlock of Choice

For well over 50 years, the locksmith's commercial padlock of choice has been a 45mm brass-bodied padlock. And while this choice has remained constant throughout the decades, the 45mm brass padlock of today offers substantial improvements in quality, security and corrosion resistance.

Precision and quality, fast rekeying, easy shackle changing, function convertibility and the development of the NANO PROTECT™ plating for extreme corrosion resistance are standard with the ABUS 83 Series 2.

The choice of hardened steel bodied padlocks and new lightweight TITALIUM™ aluminum padlocks further enhance what is already the United States' best padlock offering.

The people at ABUS know and understand padlocks. ABUS, which stands for August Bremicker and sons, has been a family owned and operated company since 1924. The original manufacturing facility in Wetter, Germany still operates today.







83CS/50 S2

<image>

Security Tech Germany

TRUST THE ORIGINAL





83 SERIES 2 FEATURES

ABUS Exclusives

2

Patented "Z-bar" Converts between key-retaining and non-key-

Converts between key-retaining and non-keyretaining in seconds!

Patented "Pinning Window"

The patented pinning window allows users to quickly and easily re-pin our cylinder without having to remove the inner core.





Patented "Chamber 6 Access" (C6A)

Allows users to convert from a 5-pin to a 6-pin cylinder in seconds with easy access to the 6th chamber.

Patented "Easy Shackle Change Tool"

Change shackles in seconds with the patented "Easy Shackle Change Tool" available on 83AL/40, 83/40, 83AL/45, 83/45, 83IC/45, 83CS/45, 83S/45 LFIC, 83/50, 83IC/50, 83CS/50, 83MAR/45, 83WPIB/53, 83WP/53, 83WP-IC/53, 83WP-LFIC/53 and 83KnK/45.



Technical Details

ABUS

 Accepts ABUS cylinders and most OEM KnK assemblies including Ilco[®], Medeco[®], Mul-T-Lock[®] and any OEM prepped for Schlage[®]

Rock

Submarine

- Available in solid aluminum, solid brass, solid brass nickel-plated and solid steel chrome-plated padlocks
- Double-ball shackle locking (83/80 triple-ball shackle locking)
- Hardened steel shackle with NANO PROTECT™ coating for extreme corrosion resistance
- Shackles available in various materials NANO PROTECT™-coated hardened steel, stainless steel and brass
- Shackles available in sizes ranging from one inch to six inches
- 83 KnK/45 SGT accepts OEM Sargent[®] cylinder



TITALIUM™ 83AL/40 S2, 83AL/45 S2

Special aluminum alloy padlock, as strong as brass with approximately 30% less weight



Features

- Lightweight, color-anodized aluminum lock body
- Hardened steel shackle with NANO PROTECT™ coating, also available in stainless steel and brass in varying heights*
- High-precision pin tumbler with patented pinning window
- Cylinder can be taken out and re-keyed to match an existing key and can be keyed to many popular keyways
- Padlock can be ordered without shackle and/or without cylinder to customize lock
- Lock body available in assorted colors
- Shackles can be changed out in seconds with quick shackle change tool (not available on 83AL-IC/40)
- Weather-proof cap available upon request

ltem	Shackle Height (in)	Locking Elements	Weight (Ibs)	Level (1-10)	Shelf Pack Quantity
83AL/40	1, 1 1/2, 3, 4	6	0.340	7	6
83AL/45	1, 2, 3, 4, 6	6	0.465	8	6
83AL-1C/40	1, 1 1/2, 3, 4	-	0.168	7	6

Brass 83/40 S2, 83/45 S2, 83CS/45 S2

The locksmith's padlock of choice



1 ¾" width

Features

- Solid brass lock body
- Hardened steel shackle with NANO PROTECT™ coating, also available in stainless steel and brass in varying heights*
- High-precision pin tumbler with patented pinning window
- Cylinder can be taken out and rekeyed to match an existing key and can be keyed to many popular keyways
- Padlock can be ordered without shackle and/or without cylinder to customize lock
- Shackles can be changed out in seconds with quick shackle change tool
- Weather-proof cap available upon request

Product No.	Shackle Height (in)	Locking Elements	Weight (Ibs)	Level (1-10)	Shelf Pack Quantity
83/40	1, 1 ½, 3, 4	6	0.625	8	6
83/45	1, 2, 3, 4, 6	6	0.785	8	6
83CS/45	1, 2, 3, 4, 6	6	0.853	8	6
83IC/45	1, 2, 3, 4, 6	-	0.586	8	6
83KnK/45	1, 2, 3, 4, 6	-	0.606	8	6

*83AL/40 and 83/40 come standard with a 1 1/2" shackle



Hardened Steel LFIC 835/45 LFIC S2

A new option for LFIC with the same great features of the 83WP/53

Chrome-Plated Brass 83/50 S2, 83CS/50 S2

All the great features of the 83/45 with additional security and that little bit of style



835/45 LFIC S2 1 3/4" width

Features

- Body made from hardened steel with NANO PROTECT™ coating - same superior corrosion resistance as 83WP Series
- Hardened steel shackle with NANO PROTECT™ coating, available in different heights
- Padlock can be ordered without shackle to customize lock
- Accepts LFIC Schlage[®] cylinders
- Accepts all 83WP/53 compatible shackles
- Shackles can be changed out in seconds with quick shackle change tool



83/50 S2 2" width

Features

- Chrome-plated solid brass lock body
- Hardened steel shackle with NANO PROTECT™ coating, also available in stainless steel and in different heights
- High-precision pin tumbler with patented pinning window
- Cylinder can be taken out and rekeyed to match an existing key and can be keyed to many popular keyways
- Padlock can be ordered without shackle and/or without cylinder to customize lock
- Shackles can be changed out in seconds with quick shackle change tool
- Weather-proof cap available upon request

Product No.	Shackle Height (in)	Locking Elements	Weight (Ibs)	Level (1-10)	Sheif Pack Quantity
83/50	1, 2, 3, 4	6	0.763	8	6
83CS/50	1, 2, 3, 4	6	0.906	8	6
83IC/50	1, 2, 3, 4	-	0.582	8	6
83KnK/50	1, 2, 3, 4	-	0.582	8	6
83CS-KnK/50	1, 2, 3, 4	-	0.727	8	6

Product No.	Shackle Height (in)	Locking Elements			Shelf Pack Quantity
83S/45 LFIC	1 ³/ ₁₆ , 2 ¹/₂, 3, 4	-	0.625	8	6



Hardened Steel 83/55 S2, 83(S/55 S2

Heavy-duty, steel-bodied padlock


83/55 52 2 1⁄8" width

Features

- Body and shackle made of hardened steel with NANO PROTECT™ coating for extra corrosion resistance
- Various shackle heights available
- High-precision pin tumbler with patented pinning window
- Cylinder can be taken out and rekeyed to match an existing key and can be keyed to many popular keyways
- Padlock can be ordered without shackle and/or without cylinder to customize lock
- Weather-proof cap available upon request

Plated Brass 83MAR/45, 83WPIB/53

The ideal all-weather padlock with a stainless steel shackle $$\%_{\rm te''}$ diameter$



.

Features

- 83MAR: Pearl-nickel-plated brass body with cylinder cover
- 83WPIB: Special chrome-plated brass body Fully weather protected with shackle seals and cylinder cover
- Stainless steel shackle available in different heights
- High-precision pin tumbler with patented pinning window
- Cylinder can be taken out and rekeyed to match an existing key and can be keyed to many popular keyways
- Padlock can be ordered without shackle and/or without cylinder to customize lock
- Shackles can be changed out in seconds with quick shackle change tool

Product No.	Shackle Height (in)	Locking Elements	Weight (Ibs)	Level (1-10)	Shelf Pack Quantity
83/55	1, 1 ^{7/} 16, 3	5-6	1.378	9	6
83CS/55	1, 1 ^{7/} ₁₆ , 3	5-6	1.488	9	6
83KnK/55	1, 1 7/ ₁₆ , 3	-	1.270	9	6
83CS-IC/55	1, 1 ^{7/} 16, 3	-	1.177	9	6
83CS-KnK/55	1, 1 ⁷ / ₁₆ , 3	-	1.177	9	6

Product No.	Shackle Height (in)	Locking Elements	Weight (Ibs)	Level (1-10)	Shelf Pack Quantity
83MAR/45	1, 2, 3, 4	5-6	0.816	8	6
83WPIB/53	1 1/8	5-6	0.897	9	6



Weather-proof 83WP/53 S2, 83WP/63 S2

Ultimate protection for the harshest conditions




Features

- Hardened steel body with NANO PROTECT™ coating
- Hardened steel shackle with NANO PROTECT™ coating, also available in different heights
- High-precision pin tumbler with patented pinning window
- Cylinder can be taken out and rekeyed to match an existing key and can be keyed to many popular keyways
- Durable weather cover with drainage system
- Padlock can be ordered without shackle and/or without cylinder to customize lock
- Shackles can be changed out in seconds with quick shackle change tool (not available on /63 locks)

Product No.	Shackle Height (in)	Locking Elements	Weight (Ibs)	Level (1-10)	Shelf Pack Quantity
83WP/53	1 ¼ ₁₆ , 2 ½, 3, 4	6	0.860	8	6
83WP-IC/53	1 ¼ ₁₆ , 2 ½, 3, 4	-	0.617	8	6
83WP-KnK/53	1 ¼ ₁₆ , 2 ½, 3, 4	-	0.617	8	6
83WP-LFIC/53	1 1/16, 2 1/2, 3, 4	-	0.617	8	6
83WP/63	1 3/8, 2 1/2	6	1.175	9	6
83WP-IC/63	1 3/8, 2 1/2	-	0.935	9	6
83WP-KnK/63	1 3/8, 2 1/2	-	0.935	9	6

Hardened Steel

The ultimate heavy-duty, steel-bodied padlock



83/80 S2 3¼″ width

Features

- Hardened steel body and shackle with NANO PROTECT™ coating for corrosion resistance
- High-precision pin tumbler with patented pinning window
- Cylinder can be taken out and rekeyed to match an existing key and can be keyed to many popular keyways
- Padlock can be ordered without shackle and/or without cylinder to customize lock
- Weather-proof cap available upon request

Product No.	Shackle Height (in)	Locking Elements	Weight (Ibs)		Shelf Pack Quantity
83/80	1 1/2	6	3.131	10	3



Interchangeable Core Padlocks

Features

- Accepts 6-pin and 7-pin SFIC cylinders •
- Available in solid aluminum, solid brass, solid brass chrome-plated and solid hardened steel bodied padlocks
- Double-ball shackle locking •
- Hardened steel shackle with NANO PROTECT™ coating for extreme corrosion resistance
- 3-in-1 bolt driver makes it easy to change shackles as the spring does not need to be reset
- Patented "Z-bar" allows padlock to be easily converted from non-key-retaining to key-retaining in seconds
- Shackles available in a choice of materials hardened steel shackle with NANO PROTECT™ coating for extreme • corrosion resistance, stainless steel and brass
- Shackles available in a range of lengths from 1" to 6" .
- New! Exchange shackles in seconds with the easy shackle change tool (not available on 83AL-IC/40, 83CS-IC/55 or 83WP-IC/63) .
- 83WP-LFIC/53 and 83S/45 LFIC accept LFIC Schlage[®] cylinders





- Body made from hardened steel with NANO PROTECT™ coating - same superior corrosion resistance as 83WP Series
- Hardened steel shackle with NANO PROTECT™ coating, available in different
- Padlock can be ordered without shackle
- Accepts LFIC Schlage[®] cylinders
- Accepts all 83WP/53 compatible shackles
- Shackles can be changed out in seconds with quick shackle change tool

All Drivers Included



Product No.	Shackle Height (in)	Weight (Ibs)	Level (1-10)	Shelf Pk Qty
83AL-1C/40	1, 1 ½, 3, 4	0.168	8	6
83IC/45	1, 2, 3, 4, 6	0.586	8	6
83S/45 LFIC	1 ³/ ₁₆ , 2 ¹/₂, 3, 4	0.625	8	6
83IC/50	1, 2, 3, 4	0.728	8	6
83CS-IC/55	1, 1 7/ ₁₆ , 3	1.177	8	6
83WP-IC/53	1 ¼ ₁₆ , 2 ½, 3, 4	0.617	8	6
83WP-LFIC/53	1 ¼ ₁₆ , 2 ½, 3, 4	0.617	8	6
83WP-IC/63	1 3/8, 2 1/2	0.935	9	6



Keyways



Schlage C 300 is 6-5 pin loaded and Schlage C 306 is 6-6 pin loaded Schlage Everest EVER is a composite that will fit all Everest C keyways

ABUS 888 Keyway

ABUS's new patented semi-restricted keyway designed for the 83 series offers total control and protection. The ABUS 888 keyway gives you key control and protection against unauthorized duplication of keys, offering you increased security. The extra strong key with its high torsion resistance is 4x stronger than most OEM keyways.

59A2 5981

5982



Additional Features

KnK Cylinder Compatibility

Most OEM KnK cylinder assemblies will fit into the new 83 Series 2 padlocks. The use of special adapters is required. KnK Adapter Kit Includes: Bible Cover, Schlage[®] & Primus[®],



Shackle Changing Tools

There are two new shackle changing tools for use with ABUS 83 Series 2. Version 1 is a solid aluminum, steel tip tool designed for use in the workshop environment. Version 2 is an economy version of this tool, designed for use in a van or onsite and when only a smaller number of shackles needs to be changed. A flat bladed screwdriver can no longer be used to remove the shackle, reducing the likelihood of a consumer accidentally doing so.

Easy Shackle Change Feature

The popular "Easy Shackle Change" feature has been expanded to all 83ALs, 83/45, 83KnK/45, 83/50, 83MAR/45, 83WPIB/53, 83WP/53 and most IC padlocks.



Professional Aluminum Shackle Change Tool

3-in-1 Bolt Driver

The 3-in-1 bolt driver setup has been retained for the large steel-bodied padlocks. Changing shackles becomes much simpler using this tools as the spring does not need to be reset. The 3-in-1 bolt driver is used in the 83/55, 83CS/55, 83/80 and 83WP/63 Series 2 as well as all IC padlocks.



3-in-1 Bolt Driver

Symmetrical Z-Bar

A new Series 2 Z-bar has been designed for use in converting from key-retaining to non-key-retaining in seconds. It looks similar to the existing Z-bar, but is symmetrical and has a black dot printed on it, distinguishing it from the old Z-bar which is produced with a red dot. The old S1 Z-bar B is shaped differently than the new S2 Z-bar A, therefore the two are not interchangeable.

Shackle Collar and Chain

With an ABUS shackle collar and chain, you can affix any one of our 83 series padlocks to a specific location to help prevent loss and contamination of the padlock. The shackle collar slides up the leg of the shackle and holds the chain attached to the padlock when open. Shackle collars are



Shackle Collar

available for 5/16", 3/8" and 7/16" diameter shackles and can be purchased individually or in a collar kit which includes 6 collars of each size (part #83000K).

83 S2 Service Kit

ABUS 83 Series Service Kit is the perfect way to keep all your parts for the 83 Series organized in your shop or in your van. The kit includes a variety of shackles for the 83/45, cylinders, KnK bible covers and adapters, Z-bars, Easy Shackle Change Tools and much more.







83 Series 2 Quick Reference Guide

				0	Available	Shackle I	Materials		F	÷		ŀ	vai	labl	e Sh	ack	e Le	ngtl	1S*	
	Product	Body Material	Body Width	Rekeyable (RK) SFIC, LFIC	Hardened Steel w/ NANO PROTECT ^{IM}	Brass	Stainless Steel	Easy Shackle Change	High-Precision Pin-Tumbler Cylinder	Weather-proof Cap Available	1"	1 1/ ₁₆ "	1 1/8"	1 3/ ₁₆ " 1 3/ 11		1 1/5"	2"	2 1/2"	3"	4" 6"
	83AL/40 83AL-IC/40**	TITALIUM™	1 ½"	RK SFIC	•			٠	•	۰	۰					•			٠	
	83AL/45	TITALIUM™	1 ³/4″	RK	•	•		•		٠	•						•			
	83/40	Brass	1 ½″	RK	•			•		•	•								•	
	83/45 83IC/45	Brass	1 ³/4″	RK SFIC	•	٠	•	٠		٠	•						•		•	
•	83CS/45	Brass	1 3/4″	RK	٠	•	۰	٠	٠	۰	٠									•••
	835/45 LFIC	Hardened Steel with NANO PROTECT™	1 3/4″	LFIC	۰			٠	۰											•
\bigcirc	83/50 83IC/50	Chrome- plated Brass	2"	RK SFIC	•	•	•	•		•	•						•		•	•
0	83CS/50	Chrome- plated Brass	2″	RK	۰		•	٠	•	٠	•						•		•	•
	83/55	Hardened Steel with NANO PROTECT™	2 1/8″	RK	٠				٠	٠	•									
Callent	83CS/55 83CS-IC/55	Hardened Steel with NANO PROTECT™	2 1/8″	RK SFIC	•				•	۰	•									
	83MAR/45	Pearl-Nickel- plated Brass	1 7/8″	RK				•		٠	•						•		•	•
	83WPIB/53	Chrome-plated Brass	2"	RK			٠	٠	٠	٠			•							
	83WP/53 83WP-IC/53 83WP-LFIC/53	Hardened Steel with NANO PROTECT™	2"	RK SFIC LFIC				•		٠								٠		
	83WP/63 83WP-IC/63	Hardened Steel with NANO PROTECT™	2 1/2″	RK SFIC	•				٠	٥								•		
AILUE	83/80	Hardened Steel with NANO PROTECT™	3 1/4″	RK						٠										

*Please reference ABUS price list for the correct part number when ordering shackles to ensure you have the right shackle size/diameter for your padlock. Shackles are very specific to each padlock. **Easy shackle change feature not available on 83AL-IC/40





Contact:

ABUS | USA LLC 23910 N. 19th Avenue, #56 Phoenix, AZ 85085 Phone: 800-352-2287 Fax: 623-516-9934 Email: customerservice@us.abus.com Internet: www.abus.com

